



## DECLARATION OF COMPLIANCE WITH REGULATIONS RELATING TO MATERIALS AND ARTICLES INTENDED FOR FOOD CONTACT

I, the undersigned **M. Moïse DEGLON**

Acting in the position of **Directeur Général** at (company) **DEGLON SAS**

Address : **Zone Industrielle de Felet- 1 rue du Pré de la Pie BP 64 – 63307 THIERS**

Declares that the articles made of metals referenced and listed here, characterized as follows :

*Specify the type of metal and if coating, the coating type*

REFERENCE	DESIGNATION	MATERIAU EXTERIEUR
3921240-V	MARYSE STOP GLISSE 40 CM	SILICONE
3921224-V	DEMI MARYSE STOP GLISSE 25 CM	SILICONE

### Conform to the requirements :

- ♣ of EC Regulation 1935/2004 of October 27, 2004; concerning materials and articles intended to come into contact with foodstuffs;
- ♣ of EC Regulation 2023/2006 of 22 December 2006 amended, relating to good manufacturing practices for materials and articles intended to come into contact with foodstuffs
- ♣ of French regulations in force concerning materials and objects in contact with foodstuffs, namely decree 2007-766 of May 10, 2007, modified by decree 2008-1469 of December 30, 2008
- ♣ of European Regulation EC No. 1907/2006 of 12/18/2006, = REACH regulation concerning the registration, evaluation and authorization of chemical substances
- ♣ of European Regulation n ° 450/2009 of May 29, 2009 concerning active and intelligent materials and objects intended to come into contact with foodstuffs
- ♣ of French decree of 13/01/1976 relating to stainless steel materials and objects in contact with foodstuffs
- ♣ of French decree of 27/08/1987 relating to materials and objects in aluminum or aluminum alloys in contact with foodstuffs, food products and drinks
- ♣ The absence of Bisphenol A (PBA) according to law n ° 2012-1442 of December 24, 2012 aimed at the suspension of the manufacture, import, export and placing on the French market of any packaging for food containing bisphenol A

Date 21/5/2025

Stamp of the company and signature :



**Test Report**

No. CANEC2203831203

Date: 21 Mar 2022

Page 1 of 7

Client Name :

Client Address :

Sample Name : Silicone Rubber

Model No. : 5032

Client Ref. Info. : See remark

The above sample(s) and information were provided by the client.

SGS Job No. : CP22-006593 - GZ

Date of Sample Received : 11 Mar 2022

Testing Period : 11 Mar 2022 - 21 Mar 2022

Test Requested : Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on reverse, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clauses defined therein. Any holder of this document is advised that information contained herein reflects the Company's sole responsibility to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written consent of the Company. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing (inspection report & certificate), please contact us at telephone: (+86-755) 23371443, or email: [CN.Discotech@sgs.com](mailto:CN.Discotech@sgs.com)



SGS China Shenzhen Discotech Laboratory, Shenzhen Economic & Technology Development Zone, Shenzhen, China 518063

中国·广东·经济技术开发区科学城科源路188号 邮编: 518063

t (86-20) 82150000 [www.sgs.com.cn](http://www.sgs.com.cn)

t (86-20) 82156655 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS) R202 R21



## Test Report

No. CANEC2203831203

Date: 21 Mar 2022

Page 2 of 7

### Result Summary :

Test Requested	Conclusion
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation -Extractable components	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments-Colour Release	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments-Sensorial examination odour and taste test	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation-Lead and Cadmium	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation-Platinum content	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation-Volatile organic matter (VOM)	PASS
Polycyclic aromatic hydrocarbons (PAHs) Content	PASS

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Ivy Ren

Ivy Ren  
Approved Signatory

scan to see the report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions-Electronic.aspx>. All rights are reserved. The limitations of liability, limitation of damages and other terms and conditions contained in this document are advised. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions. Furthermore, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of naming inspection report & certificate, please contact us at telephone: (86-20)8887 1443, or email: [CH\\_Dispatching@sgs.com](mailto:CH_Dispatching@sgs.com)

100 Beigang Road, Science Park, Guangzhou Economic & Technology Development Zone, Guangzhou, China, 510663

t (86-20) 82156659 [www.sgs-group.com.cn](http://www.sgs-group.com.cn)

中国·广州·经济技术开发区科学城科源路198号 邮编: 510663

t (86-20) 82156655 [sgs-china@sgs.com](mailto:sgs-china@sgs.com)

Member of the SGS Group (SGS SA)



## Test Report

No. CANEC2203831203

Date: 21 Mar 2022

Page 3 of 7

### Test Results :

#### Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	CAN22-038312.002	Transparent silicone sheet	Silicone

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation – Extractable components

Test Method : With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46 (2003) 362.

Simulant Used	Time	Temperature	Max. Permissible Limit	Result of 002	Comment
Distilled water	1.0hr(s)	100°C	0.5% (w/w)	<0.1% (w/w)	PASS
3% Acetic Acid (W/V) Aqueous Solution	1.0hr(s)	100°C	0.5% (w/w)	<0.1% (w/w)	PASS
10% Ethanol (W/V) Aqueous Solution	1.0hr(s)	100°C	0.5% (w/w)	<0.1% (w/w)	PASS

#### Notes :

1.%w/w = percentage of weight by weight

2. Test condition & simulant were specified by client.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments- Colour Release

Test Method : With reference to Kunststoffe im Lebensmittelverkehr, Part B II IX.

Test Item(s)	Limit	002
Visible Color Migration in 2% Acetic Acid (W/V)	★	Negative
Comment		PASS
Visible Color Migration in Coconut Oil	★	Negative
Comment		PASS

#### Notes :

1.★ = No color release observed

2. Negative = No color release observed, Positive = Color release observed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/SGS-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from observing all applicable laws and regulations, including all pertinent health and safety legislation. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing (no expedition report & certificate), please contact us at telephone: (86-20) 82155714-5, or email: [CH\\_Inspection@sgs.com](mailto:CH_Inspection@sgs.com)

SGS TechNet Science Park Shenzhen Economic & Technology Development Zone, Shenzhen, China 518063

中国·深圳·经济技术开发区科学大道深南路1088号 邮编: 518063

1 (86-20) 82155556 [www.sgs.com.cn](http://www.sgs.com.cn)

1 (86-20) 82155555 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS SA)



## Test Report

No. CANEC2203831203

Date: 21 Mar 2022

Page 4 of 7

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments-Sensorial examination odour and taste test

Test Method : With reference to DIN10955:2004, direct contact method.  
No.of panelist:6

Test Item(s)	Limit	002
Test media	-	Distilled water
Test Temperature (°C)	-	100
Test time (hr)	-	2
Sensorial examination odour (Point scale)	2.5	0.0
Sensorial examination taste (Point scale)	2.5	0.0
Comment		PASS

Notes :

Intensity scale (rounded at 0.5):

- 0 – no perceptible difference
- 1 – just perceptible difference
- 2 – slight difference
- 3 – marked difference
- 4 – strong difference

Test condition & simulant were specified by client

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation-Lead and Cadmium

Test Method : Microwave digestion (GZTC CHEM-TOP-004-01) , analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	002
Cadmium (Cd)	★	mg/kg	2	ND
Comment				PASS
Lead (Pb)	★	mg/kg	2	ND
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram of sample
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)
4. ★= Absent



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/SGS-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from their obligations under the transaction documents. This document cannot be reproduced, except in full, without the written approval of the Company. Any unauthorized alteration, forgery or publication in the context or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise agreed the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing (Inspection report & certificate), please contact us at telephone: (020-78871443, or email: CN\_20401582@sgs.com).

© 2011 SGS China Technical Service Co., Ltd. All rights reserved. SGS China Technical Service Co., Ltd. is a member of the SGS Group. SGS Group is a registered trademark of SGS Group.

Member of the SGS Group (SGS SA)



## Test Report

No. CANEC2203831203

Date: 21 Mar 2022

Page 5 of 7

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004. German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation—Platinum content

Test Method : SGS In-house method (GZTC CHEM-TOP-225-01), analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	002
Platinum Content	50	mg/kg	10	ND
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004. German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation—Volatile organic matter (VOM)

Test Method : With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46 (2003) 362.

Test Item(s)	Limit	Unit	MDL	002
Test Temperature	-	°C	-	200
Test Time	-	hr(s)	-	4.0
Volatile organic matter (VOM)	0.60	%(w/w)	0.10	0.33
Comment				PASS

Notes :

1. %(w/w) = percentage of weight by weight
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)

### Polycyclic aromatic hydrocarbons (PAHs) Content

Test Method : With reference to AfPS GS 2014:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	Limit	Unit	MDL	002



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention is drawn to the availability of having a test report & certificate, please contact us at telephone: (86-10) 8387 1443, e-mail: [CH\\_DocTech@sgs.com](mailto:CH_DocTech@sgs.com)

SGS (Guangzhou) Quality Inspection & Testing Services Co., Ltd. 19/F Richer Richer Building, Park Guangzhou Economic & Technology Development District, Guangzhou, China 510683 t: (86-20) 82195886 [www.sgs.com.cn](http://www.sgs.com.cn)

中国·广州·经济技术开发区科学大道科德路198号 邮编: 510683 t: (86-20) 82195885 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS SA)

**Test Report**

No. CANEC2203831203

Date: 21 Mar 2022

Page 6 of 7

<u>Test Item(s)</u>	<u>CAS NO.</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Sum of 18 PAHs	-	1.0	mg/kg	-	ND
Sum of 7 PAHs Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene, Anthracene, Fluoranthene	-	1.0	mg/kg	-	ND
Naphthalene(NAP)	91-20-3	1.0	mg/kg	0.1	ND
Acenaphthylene(ANY)	208-96-8	-	mg/kg	0.1	ND
Acenaphthene(ANA)	83-32-9	-	mg/kg	0.1	ND
Fluorene(FLU)	86-73-7	-	mg/kg	0.1	ND
Phenanthrene(PHE)	85-01-8	-	mg/kg	0.1	ND
Anthracene(ANT)	120-12-7	-	mg/kg	0.1	ND
Fluoranthene(FLT)	206-44-0	-	mg/kg	0.1	ND
Pyrene(PYR)	129-00-0	-	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	66-56-3	0.2	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	0.2	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	206-99-2	0.2	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	206-82-3	0.2	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	207-08-9	0.2	mg/kg	0.1	ND
Benzo(a)pyrene(BaP)	50-32-8	0.2	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	192-97-2	0.2	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-6	0.2	mg/kg	0.1	ND
Dibenz(a,h)anthracene(DBA)	63-70-3	0.2	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	0.2	mg/kg	0.1	ND
Comment					PASS

## Notes :

1. mg/kg = milligram per kilogram of sample
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clauses defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results given in this test report relate only to the sample(s) tested.

Attention: To check the authenticity of heading (signature/report & certificate), please contact us at telephone: (86-20) 82155555, or email: [CH.SGScheck@sgs.com](mailto:CH.SGScheck@sgs.com)



SGS China Quality Technology Co., Ltd.  
SGS China Quality Technology Co., Ltd.

100 Meitu Road, Shantou Economic & Technology Development Zone, Shantou, China 515083  
中国·广州·经济技术开发区科学城科源路100号

t (86-20) 82155555 [www.sgs.com](http://www.sgs.com)  
t (86-20) 82155555 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



## Test Report

No. CANEC2203831203


Date: 21 Mar 2022

Page 7 of 7

### REMARK:

1532, 2032, 2534, 3031, 3032, 3034, 3043, 3543, 4031, 4032, 4034, 4043, 5031, 5032, 5033, 5034, 5042, 5043, 5235, 6031, 6032, 6034, 6042, 6043, 7031, 7032, 7034, 7042, 7043, 7532, 7542, 8031, 8032, 8034, 8042, 8043, 8542, 2032-1, 3032F, 3032H, 3034KW, 4031-1, 4032-1, 4032F, 4032F-1, 4032H, 4532F, 4534KW, 5032-1, 5032A, 5032CD, 5032F, 5032F-1, 5032FT, 5032H, 5032HT, 5032HT-1, 5032P, 5042F, 5042P, 5043L, 5043P, 6032-1, 6032F, 6032F-1, 6032H, 6032P, 6032WZ, 6034T, 6034L, 6042P, 6042P-1, 6532F, 6542B, 7032-1, 7032P, 7032P-2, 7033P, 7034HT, 7042J, 7042L, 7042P, 7042H(TP), 7043-2, 7043A, 7043B, 7043H, 7043L, 7360-40Z, 7532P, 8032F, 8032P, 8042L, 8042(KH), 8042P, 8043GX, 8043H, 8043HL, RH-8043L, CYN-785, GP-600, GP-700, W-70, W-70HT, WJ-40, WJ-45, WJ-50, WJ-50-1, WJ-50AD, WJ-70, WJ-70-1, WJ-70AD, WQ-50, WQ-70, WT-70, 4032AS, 5032AS, 6032AS, 7032AS, 4032HT, 5032HT, 6032HT, 7032HT, 2032AM, 3032AM, 4032AM, 5032AM, 6032AM, 7032AM, 4032CS, 5032CS, 6032CS, 7032CS, 4043YH, 5043YH, 6043YH, 7043YH, 8043YH

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed online, available on request or available at <http://www.sgs.com/en/Terms-and-Conditions.aspx>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or signature of this document is illegal and offenders will be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing (test portion report & certificate), please contact us or take photo (+86-755-65571443, or email: CH.Check@sgs.com).

18/F, R&D Building, Pudong Shanghui Economic & Technology Development District, Shanghai, China 201203

t: (86-20) 82150888 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广州·经济技术开发区科学城科茂路108号 邮编: 510663

t: (86-20) 82155555 [sgs.shn@sgs.com](mailto:sgs.shn@sgs.com)

Member of the SGS Group (SGS SA)

Test Report No.: 68.431.23.2007.01

Dated: 2023-05-04



Applicant :



Sample Description : Spatula/brush

Model No. : MX-SL0004/MX-SL0005/MX-SL0006

Country of Origin : China

Test Sample Receipt Date : 2023-04-19

Test Period : From 2023-04-19 to 2023-05-04

Test Result(s) : Refer to Section 3



Regd. Office:

TUV SUD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
Building 12&13, Zhizheng Wisdomland Business Park, Guanxiao East, Nanshan District,  
Shenzhen, Guangdong, China

Phone: +86 755 8628 6999  
Fax: +86 755 8628 5299  
E-mail: info@tusud.com  
Web: <http://www.tusud.com>

Lab 1 - Chemical testing and  
part of electrical testing

Building 12&13, Zhizheng Wisdomland Business Park, Guanxiao East, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & mechanical  
testing

Building A2, Jiefu Industrial Park, No. 100, Jinghang Road, Futian District, Shenzhen, Guangdong, China

Page 1 of 5

Test Report No.: 68.431.23.2007.01

Dated: 2023-05-04



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1	Heat resistance test as requested by Applicant	Pass

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) The test item and samples were specified by the client.
- (4) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expanded uncertainty for "Pass", "Fail" and "Inconclusive" is 95%.
- (5) The conclusion was drawn according to the client's specification.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
TÜV SÜD Group

Prepared by:

*Eva*



Eva Liang  
Project Manager

Reviewed by:

*Kevin Cheng*

Cheng Kevin  
Section Manager

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
Building 12&13, Zhizheng Wisdomland Business Park, Guanxiao East, Nanshan, Nanshan District,  
Shenzhen, Guangdong, China

Phone: +86 755 8828 0999  
Fax: +86 755 8828 5299  
E-mail: info@tusaud.com  
Web: <http://www.tusaud.com>

Lab 1 - Chemical testing and  
part of electrical testing

Building 12&13, Zhizheng Wisdomland Business Park, Guanxiao East, Nanshan, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & mechanical  
testing

Building A2, Jiefao Industrial Park, No. 150, Jinglong Road, Futian, Futian District, Shenzhen, Guangdong, China





1. Description of the Test Sample:

Sample Description	Spatula/brush
	A photograph of a black plastic spatula or brush with a flat, rectangular head and a long, thin handle. It is placed next to a metric ruler for scale, showing measurements from 0 to 15 cm.
	A close-up photograph of the same black plastic spatula or brush, showing its head and handle in more detail.

Regd. Office:

TUV SUD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
Building 12813, Zhizheng Wisdomland Business Park, Guanxiao East, Nanshan District,  
Shenzhen, Guangdong, China

Phone: +86 755 8628 0999  
Fax: +86 755 8628 5299  
E-mail: [info@tusud.com](mailto:info@tusud.com)  
Web: <http://www.tusud.com>

Lab 1 - Chemical testing and  
part of electrical testing

Building 12813, Zhizheng Wisdomland Business Park, Guanxiao East, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & mechanical  
testing

Building A2, Jitao Industrial Park, No. 150, Jinghang Road, Futian, Bao'an District, Shenzhen, Guangdong, China



## 2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Big spatula	
T2	002	Small spatula	
T3	003	Brush	

## Regd. Office:

TUV SUD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
 Building 12&13, Zhisheng Wisdomland Business Park, Guanxiao East, Nanshan District,  
 Shenzhen, Guangdong, China.

Phone: +86 755 8828 6998  
 Fax: +86 755 8828 5299  
 E-mail: info@tusaud.com  
 Web: <http://www.tusaud.cn>

Lab 1 - Chemical testing and  
 part of electrical testing  
 Lab 2 - Physical & mechanical  
 testing

Building 12&13, Zhisheng Wisdomland Business Park, Guanxiao East, Nanshan District, Shenzhen, Guangdong, China

Building A1, Jinhao Industrial Park, No. 150, Jinglong Road, Futian, Baoan District, Shenzhen, Guangdong, China



### 3. Test Result

#### 3.1 Heat resistance test as requested by Applicant

Test condition: Temperature: 22 °C Relative Humidity: 40%

No. of tested sample: each 1pc

Sample 001, 002, 003			
Clause	Requirement	Result	Verdict
1	<b>Heat resistance test as requested by Applicant</b> Put the sample into the oven at 260°C for 4 hours. Take out the sample, cool to room temperature and check the sample. There should be no visual changes, functionality failure, structural failure and or permanent.	Sample 001, 002, 003: No damage.	Pass

— END OF TEST REPORT —

Regd. Office: TUV SUD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
 Building 12&13, Zhizheng Wiedoland Business Park, Guanxiao Street, Nanshan District, Shenzhen, Guangdong, China  
 Phone: +86 755 8828 6998  
 Fax: +86 755 8828 5299  
 E-mail: shzg@tusaud.com  
 Web: <http://www.tusaud.cn>

Lab 1 - Chemical testing and part of electrical testing: Building 12&13, Zhizheng Wiedoland Business Park, Guanxiao Street, Nanshan District, Shenzhen, Guangdong, China  
 Lab 2 - Physical & mechanical testing: Building A2, Jitao Industrial Park, No. 150, Jinglong Road, Futian, Bao'an District, Shenzhen, Guangdong, China

Page 5 of 5