


Haahr & Co. varenr. 2017005 2017008	Overensstemmelseserklæring for ucoatede metalliske materialer og genstande (undtagen knive) Version 1, 02.07.2012, JJS	Page:1 of 3 Gældende for Haahr & Co. A/S Ibrugtagingsdato/ Godkendt af 16/4-13 /OL
---	--	---

1	Haahr & Co. A/S Mådevej 20 6700 Esbjerg Tlf. +45 75 12 80 00 Fax +45 75 12 27 19 http://www.haahr-co.dk
2	Identifikation of produktet: • Navn • Varenummer • Beskrivelse • Materiale • Foto Råkostjærn Art nr 912140 samt art nr 914100 

Haahr & Co. varenr. 2017005 2017008	Overensstemmelseserklæring for ucoatede metalliske materialer og genstande (undtagen knive) Version 1, 02.07.2012, JJS	Page:2 of 3 Gældende for Haahr & Co. A/S Ibrugtagingsdato/ Godkendt af 16/4-13 / OL
---	--	--

3	<u>Generel EU overensstemmelse:</u> Disse genstande overholder kravene i Forordning 1935/2004-EC, og er fremstillet og håndteret i overensstemmelse med kravene til god fremstillingsmæssig praksis i Forordning 2023/2006-EC. <u>Specifik overensstemmelse med nationale regler/sundhedsmæssig vurdering:</u> Disse genstande er egnede til kontakt med fødevarer under de i afsnit 4 specificerede betingelser, idet de overholder kravene vedrørende renhed, sammensætning og afsmitning givet i: • Fransk og Italiensk lovgivning vedrørende metalliske fødevarekontaktmaterialer og/eller • US-FDA FOOD CODE 2009 og NSF/ANSI 51 – 2012 on Food Equipment Materials.
4	Disse genstande er egnede til kontakt med alle typer af fødevarer ved den forventede og forudseelige anvendelse. Genstandene er beregnet til kontakt med fødevarer ved temperaturer op til __40 °C i op til __1__ timer Genstandene kan derudover bruges til opbevaring af fødevarer ved temperaturer op til __40 °C i op til __1__ timer/dage Repræsentative prøver af disse, eller lignende, genstande er blevet undersøgt for overholdelse af kravene i afsnit 3, og genstandene i dette parti er produceret under lignende betingelser, ud fra identiske råvarer, af den samme producent. Såfremt Fødevarestyrelsen anmoder om dette, stiller Haahr og Co. A/S den nødvendige baggrundsdokumentation til rådighed.

Sveico AB / Orthex Group



/Peter Ottarson

Leverandør navn - Underskrift

2013-04-12

Dato

Haahr & Co. varenr. 2017005 2017008	Overensstemmelseserklæring for ucoatede metalliske materialer og genstande (undtagen knive) Version 1, 02.07.2012, JJS	Page:3 of 3 Gældende for Haahr & Co. A/S Ibrugtagningsdato/ Godkendt af 16/4-13/OL
---	--	---

På vegne af Haahr og Co. A/S

HAHR & CO. ISENKRAM A/S
HÅDEVEJ 20 - 6700 ESBJERG
TLF: 75 12 80 00 - FAX: 75 12 27 19

D. Jørgensen

Underskrift

16/4-2013

Dato

2017005 - 2017008

Intertek

TEST REPORT

Centre Court,
Meridian Business Park, Leicester,
LE19 1WD, United Kingdom

Telephone: +44 (0) 116 263 0330
Facsimile: +44 (0) 116 263 0311/12
www.intertek.com/consumergoods

NUMBER: LECH00317430

APPLICANT: Sveico AB
Barebo
S-335 91 Gnosjö
SWEDEN

DATE: 28th January 2011

For the attention of Peter Ottosson

SAMPLE DESCRIPTION: Material ABS

REFERENCE / STYLE NO.: Not specified

RETAILER: Not specified

SAMPLE RECEIVED: 21st December 2010

PURCHASE ORDER: Not specified

TEST REQUEST: Plastic Materials and Articles in Contact with Foodstuffs, European Directive 2002/72/EC and amendments (overall migration) (Repeat Use)

CONCLUSION: The results of the tests carried out **MEET** the requirements of the requested directive.

Tests marked (*) in this Test Report are not included in the UKAS Accreditation Schedule for this Laboratory
Tests marked (^) in this Test Report have been sub-contracted to an agent approved by Intertek
Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation

TEST REPORT

Centre Court,
Meridian Business Park, Leicester,
LE19 1WD, United Kingdom

Telephone: +44 (0) 116 263 0330
Facsimile: +44 (0) 116 263 0311/12
www.intertek.com/consumergoods

NUMBER: LECH00317430

Specification: Plastic Materials and Articles in Contact with Foodstuffs, European Directive 2002/72/EC

Sample: Material ABS

Simulants: B – 3% Acetic Acid
C – 10% ethanol in water
D – Iso-octane

Temperature: B, C – 100°C
D – 60°C

Exposure Time: B, C – 2 Hours
D – 4 Hours

Exposure Cycle: Repeat Use

Testing was carried out by immersion.

Results

Sample no.	Description	Average Migration (mg/dm ²)	Limit (mg/dm ²)
1	Simulant B	1.1	10.0
2	Simulant C	<1.0	10.0
3	Simulant D	<1.0	10.0

Date of Testing: 24th – 28th January 2011

Intertek

TEST REPORT

NUMBER: LECH00317430

Centre Court,
Meridian Business Park, Leicester,
LE19 1WD, United Kingdom

Telephone: +44 (0) 116 263 0330
Facsimile: +44 (0) 116 263 0311/12
www.intertek.com/consumergoods



END OF REPORT

PAGE 3 OF 3



TEST REPORT

Centre Court,
Meridian Business Park, Leicester,
LE19 1WD, United Kingdom

Telephone: +44 (0) 116 263 0330
Facsimile: +44 (0) 116 263 0311/12
www.intertek.com/consumergoods

NUMBER: LECH00317430

APPLICANT: Sveico AB
Barebo
S-335 91 Gnosjö
SWEDEN

DATE: 28th January 2011

For the attention of Peter Ottosson

SAMPLE DESCRIPTION: Material ABS

REFERENCE / STYLE NO.: Not specified

RETAILER: Not specified

SAMPLE RECEIVED: 21st December 2010

PURCHASE ORDER: Not specified

TEST REQUEST: Plastic Materials and Articles in Contact with Foodstuffs, European Directive 2002/72/EC and amendments (overall migration) (Repeat Use)

CONCLUSION: The results of the tests carried out **MEET** the requirements of the requested directive.

Tests marked (*) in this Test Report are not included in the UKAS Accreditation Schedule for this Laboratory
Tests marked (^) in this Test Report have been sub-contracted to an agent approved by Intertek
Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation

TEST REPORT

Centre Court,
Meridian Business Park, Leicester,
LE19 1WD, United Kingdom

Telephone: +44 (0) 116 263 0330
Facsimile: +44 (0) 116 263 0311/12
www.intertek.com/consumergoods

NUMBER: LECH00317430

Specification: Plastic Materials and Articles in Contact with Foodstuffs, European Directive 2002/72/EC

Sample: Material ABS

Simulants: B – 3% Acetic Acid
C – 10% ethanol in water
D – Iso-octane

Temperature: B, C – 100°C
D – 60°C

Exposure Time: B, C – 2 Hours
D – 4 Hours

Exposure Cycle: Repeat Use

Testing was carried out by immersion.

Results

Sample no.	Description	Average Migration (mg/dm ²)	Limit (mg/dm ²)
1	Simulant B	1.1	10.0
2	Simulant C	<1.0	10.0
3	Simulant D	<1.0	10.0

Date of Testing: 24th – 28th January 2011

Intertek

TEST REPORT

NUMBER: LECH00317430

Centre Court,
Meridian Business Park, Leicester,
LE19 1WD, United Kingdom

Telephone: +44 (0) 116 263 0330
Facsimile: +44 (0) 116 263 0311/12
www.intertek.com/consumergoods



END OF REPORT

PAGE 3 OF 3